SWS Bearings LTD
High Quality Bearing Manufacturer

AGRICULTURAL BEARINGS



SWS Bearings LTD

www.ytgbearing.com



SWS Bearings LTD *is one of the most reliable bearings factories and exporters in China.We mainly supply roller and ball bearings.*

SWS was founded in 2001, located in Chang Zhou city,Jiangsu Province.It just takes around 2 hours from Chang Zhou to Shanghai by car, and very convenient transportation. In 2005,SWS has invested three factories in Shandong and Dalian city. Our products sell worldwide.

Our products and service include:

1.Clutch Release Bearings
2.Miniature and middle-large size deep groove ball bearing
3.Double-row self-aligning roller bearing
4.Four-row heavy type cylindrical roller bearing
5.Self-aligning roller bearing
6.Axial thrust ball bearing, thrust ball and roller bearing
7.Single and double taper roller bearing
8.Needle roller bearing
9.High precision spindle bearing
10.Pillow block bearing, bush, steel balls

SWS bearings are widely used in railway,mining,mechanical equipment, automobile,ship, metallurgy, petrifaction, electric power, agriculture, textile and aviation, etc.


SWS Bearings LTD
High Quality Bearing Manufacturer



Equipment



Equipment



Test



Office



Products




Wareshop

AGRICULTURAL BEARINGS

TRI-PLY SEAL SQUARE FLANGE UNITS






Bearing No.	Dimensions (Inch)									
	Shaft	Bore Type	Bolt Hole Diameter	D	E	A	C	F	J	K
ST491A	1 3/4	Round	13.5			42.85	127	127	41.7	6.75
ST491B	1 1/2	Round		16.7	13.5	42.85	127	127	41.7	6.75

Email: sales@sws-bearings.com
Https://www.sws-bearings.com

ROUND BORE
NON-RELUBRICATABLE






Bearing No.	Type	Dimensions (mm)				Basic Load Ratings (kN)		Weight (kg)
		d	D	Width				
				Be	Bi	Dynamic	Static	
W208PPB2	1	38.113	80.000	18.000	42.875	36.8	19.9	0.72
W208PPB4	3	30.163	80.000	30.175	30.175	36.8	19.9	0.66
W208PPB7	2	30.170	80.000	18.000	30.175	36.8	19.9	0.64
W208PP10	4	38.113	80.000	21.000	42.875	36.8	19.9	0.68
W208PPB14	6	22.225	87.320	30.180	36.510	36.8	19.9	0.70
W208PPB23	2	38.113	80.000	30.175	42.875	32.0	15.6	0.68
W209PPB2	3	45.000	85.000	30.175	30.175	36.8	20.2	0.65
W209PPB4	3	39.000	85.000	30.175	30.175	36.8	20.2	0.75
W210PP2	5	49.225	90.000	30.175	30.175	39.9	23.0	0.77
W210PPB2	3	49.225	90.000	30.175	30.175	39.9	23.0	0.71
W210PPB5	3	45.339	90.000	30.175	30.175	39.9	23.0	0.79
W211PP2	5	55.575	100.000	33.325	33.325	48.8	29.0	1.06
W211PPB2	3	55.575	100.000	33.325	33.325	48.8	29.0	0.97
W214PPB2	3	70.000	125.000	39.675	39.675	71.0	43.5	1.80
W214PPB9	3	70.256	125.000	28.000	44.450	71.0	43.5	1.80

Email: sales@sws-bearings.com
Https://www.sws-bearings.com

ROUND BORE
RELUBRICATABLE






Bearing No.	Type	Dimensions (mm)				Basic Load Ratings (kN)		Weight (kg)
		d	D	Width				
				Be	Bi	Dynamic	Static	
GW209PPB2	3	45.000	85.000	30.175	30.175	36.8	20.2	0.65
GW209PPB4	3	39.000	85.000	30.175	30.175	36.8	20.2	0.75
GW209PPB11	1	45.237	85.000	22.000	36.525	36.8	20.2	0.62
GW210PPB2	3	49.225	90.000	30.175	30.175	39.9	23.0	0.68
GW210PPB5	3	45.339	90.000	30.175	30.175	39.9	23.0	0.79
GW210PP9	5	49.403	90.000	23.000	36.525	39.9	23.0	0.79
GW211PP2	4	55.575	100.000	33.325	33.325	48.8	29.0	1.36
GW211PPB2	3	55.575	100.000	33.325	33.325	48.8	29.0	1.19
GW211PPB9	1	55.573	100.000	25.000	39.675	48.8	29.0	0.92
GW211PPB10	3	49.225	100.000	33.325	33.325	48.8	29.0	1.03
GW211PPB13	1	45.339	100.000	25.000	33.325	48.8	29.0	0.92
GW214PP2	4	70.000	125.000	39.675	39.675	71.0	43.5	1.9
GW214PPB2	3	70.000	125.000	39.675	39.675	71.0	43.5	1.8
GW214PPB3	3	49.225	125.000	39.675	39.675	71.0	43.5	1.93
GW214PPB6	1	68.278	125.000	28.000	68.263	71.0	43.5	2.16

Email: sales@sws-bearings.com
Https://www.sws-bearings.com

SQUARE BORE
NON-RELUBRICATABLE






Bearing No.	Type	Dimensions (mm)					Basic Load Ratings (kN)		Weight (kg)
		Shaft	A Nominal	D	Width				
					Be	Bi	Dynamic	Static	
W208PP5	4	28.575	29.972	80.000	18.000	36.525	36.8	19.9	0.68
W208PPB5	1	28.575	29.970	80.000	18.000	36.525	36.8	19.9	0.67
W208PPB6	1	25.400	26.162	80.000	18.000	36.525	36.8	19.9	0.72
W208PP8	4	28.575	29.972	80.000	30.175	36.525	36.8	19.9	0.75
W208PPB8	2	28.575	29.972	80.000	18.000	36.525	36.8	19.9	1.65
W208PPB9	2	25.400	26.162	80.000	30.175	36.525	36.8	19.9	1.74
W208PPB11	6	22.225	23.000	85.750	30.175	36.525	36.8	19.9	2.05
W208PPB12	6	28.575	29.972	85.750	30.175	36.525	36.8	19.9	1.87
W208PPB13	1	22.225	23.000	80.000	18.000	36.525	36.8	19.9	0.74
W209PPB5	2	31.750	32.766	85.000	30.175	36.525	36.8	20.2	0.79
W209PPB7	6	31.750	32.766	85.750	30.175	36.525	36.8	20.2	1.85
W210PP4	5	28.575	29.972	90.000	30.175	30.175	39.9	23.0	0.95
W210PPB4	3	28.575	29.972	90.000	30.175	30.175	39.9	23.0	0.96
W211PP3	5	38.100	38.890	100.000	33.324	33.324	48.8	29.0	1.27
W211PPB3	3	38.100	38.890	100.000	33.324	33.324	48.8	29.0	1.21
W211PP5	4	38.100	38.890	101.600	36.525	44.450	48.8	29.0	1.58
W211PPB6	6	38.100	38.890	103.556	36.525	44.450	48.8	29.0	1.84

Email: sales@sws-bearings.com
Https://www.sws-bearings.com

SQUARE BORE
RELUBRICATABLE






Bearing No.	Type	Dimensions (mm)					Basic Load Ratings (kN)		Weight (kg)
		Shaft	A Nominal	D	Width				
					Be	Bi	Dynamic	Static	
GW208PPB5	1	28.575	29.972	80.000	21.000	36.525	36.80	19.90	0.67
GW208PPB6	1	25.400	26.162	80.000	21.000	36.525	36.80	19.90	0.79
GW208PPB8	2	28.575	29.972	80.000	30.175	36.525	36.80	19.90	0.79
GW208PP17	4	28.575	29.972	85.738	30.175	36.525	36.80	19.90	0.93
GW209PPB5	2	31.750	32.776	85.000	30.175	36.525	36.80	20.20	0.79
GW209PPB8	1	31.750	32.776	85.000	22.000	36.525	36.80	20.20	0.75
GW210PP4	5	28.575	29.972	90.000	30.175	30.175	39.90	23.00	1.05
GW210PPB4	3	28.575	29.972	90.000	30.175	30.175	39.90	23.00	0.79
GW211PP3	5	38.100	39.890	100.000	33.325	33.325	48.80	29.00	1.27
GW211PPB3	3	38.100	38.890	100.000	33.325	33.326	48.80	29.00	1.21
GW211PP17	4	38.100	38.890	100.000	33.325	44.450	48.80	29.00	1.19

Email: sales@sws-bearings.com
Https://www.sws-bearings.com

HEX BORE SERIES
AGRICULTURAL BEARINGS






Bearing No.	Type	Dimensions (mm)					Basic Load Ratings (N)	
		Hex Shaft Size (Inch)	A Nominal	D	Width			
					Be	Bi	Dynamic	Static
204KRR2	1	11/16"	17.653	47.000	14.000	20.955	12 889	6 267
205KRR2	1	7/8"	22.250	52.000	15.000	25.400	14 000	7 156
205KRRB2	2	7/8"	22.250	52.000	15.000	25.400	14 000	7 156
206KRR6	1	1"	25.425	62.000	16.000	24.000	19 422	10 311
206KRRB6	2	1"	25.425	62.000	16.000	24.000	19 422	10 311
207KRRB9	2	1 1/8"	28.600	72.000	17.000	37.694	25 644	14 000
207KRRB12	2	1 1/8"	28.600	72.000	17.000	25.000	25 644	14 000
W208PPB16	2	1 1/4"	31.775	80.000	18.000	36.520	32 622	16 222

Https://www.sws-bearings.com
Email: sales@sws-bearings

200 SERIES
AGRICULTURAL BEARINGS






Bearing No.	Type	Dimensions (mm)			
		d	D	Width	
				Be	Bi
203KRR2	1	16.260	40.000	12.000	18.288
203KRR5	1	13.081	40.000	12.000	18.288

Email: sales@sws-bearings.com
Https://www.sws-bearings.com

SPECIAL SIZES
AGRICULTURAL BEARINGS





Bearing No.	Dimensions (mm)				Description
	Bore	O.D.	Inner Ring Width	Outer Ring Width	
202NPP9	12.827	38.100	11.000	11.000	O.D. turned to 3/4 radius. Shroud seals.
203KRR3	15.951	50.800	15.000	15.000	Thick outer ring, two inch O.D. Shroud seals.
204KRD4	16.000	47.000	17.500	14.000	Special bore. Trash seals.
204RY2	16.027	45.225	18.669	15.494	Gothic arch race. Double lip shrould seal extended side, single lip shrould seal opposite.
204FREN	16.027	45.225	18.669	15.494	Special 204 with wide Inner Ring. Double sealed.
205R3	15.875	52.000	35.000	15.000	Special bore, extended Inner Ring. Triple seals.
Z9504AB	19.060	45.225	15.494	15.494	Basic 6204-2RS with 3/4 bore and .610 width. Rubber seals.

Email: sales@sws-bearings.com
Https://www.sws-bearings.com

AGRICULTURAL BEARING INTERCHANGE

Number	FAFNIR	BCA	NTN	RHP
202NPP9	202NPP9	202FFH8	-	-
203KRR2	203KRR2	203RRAR10	-	-
203KRR3	203KRR3	8984YY	-	-
203KRR5	203KRR5	203RRAR8	-	-
204KRD4	204KRD4	204FGB	-	-
204KRR2	204KRR2	HPC011GP	1AH04-11/16	-
204RY2	204RY2	204FVMN	-	-
205KRR2	205KRR2	HPC014GP	1AH05-7/8	-
205KRRB2	205KRRB2	HPS014GP	2AH05-7/8	-
205R3	-	-	-	-
206KRR6	206KRR6	HPC100GP	1AH06-1	-
206KRRB6	206KRRB6	HPS100GP	2AH06-1	-
207KRRB12	207KRRB12	HPS102GPE	-	-
207KRRB9	207KRRB9	HPS102GP	2AH07-1.1/8	-
CS203DDU	203NPPB	S203FF	CS203LLU	1726203-2RS
CS204DDU	204NPPB	S204FF	CS204LLU	1726204-2RS
CS205DDU	205NPPB	S205FF	CS205LLU	1726205-2RS
CS206DDU	206NPPB	S206FF	CS206LLU	1726206-2RS
CS207DDU	207NPPB	S207FF	CS207LLU	1726207-2RS
CS208DDU	208NPPB	S208FF	CS208LLU	1726208-2RS
CS209DDU	209NPPB	S209FF	CS209LLU	1726209-2RS
CS210DDU	-	-	-	1726210-2RS
CS305DDU	-	-	-	-
CS306DDU	-	-	-	-
CS307DDU	-	-	-	-
CS308DDU	-	-	-	1726308-2RS
CS309DDU	-	-	-	1726309-2RS
CS310DDU	-	-	-	1726310-2RS
GW208PP17	GW208PP17	DC208TTR17	-	-
GW208PPB5	GW208PPB5	DS208TTR21	1AS08-1.5/32D1	1/PDNF240/9G

Email: sales@sws-bearings.com
Https://www.sws-bearings.com

AGRICULTURAL BEARING INTERCHANGE

Number	FAFNIR	BCA	NTN	RHP
GW208PPB6	GW208PPB6	DS208TTR6	-	1/PDNF240/8G
GW208PPB8	GW208PPB8	DS208TTR8	2AS08-1.1/8D1	PDNF240/9G
GW209PPB11	GW209PPB11	DS209TTR10	1AC09D1V1	28/DNF245-45G
GW209PPB2	GW209PPB2	DS209TTR2	3AC09D1	PDNF145-45G
GW209PPB4	GW209PPB4	DS209TTR4	3AC09-1.1/2D1	28/PDNF145-1.1/2G
GW209PPB5	GW209PPB5	DS209TTR5	2AS09-1.1/4D1	PDNF245/10G
GW209PPB8	GW209PPB8	DS209TTR8	-	DNF245/10G
GW210PP4	GW210PP4	DC210TTR4	7AS10-1.1/8D1	PDF150/9G
GW210PP9	GW210PP9	-	-	-
GW210PPB2	GW210PPB2	DS210TTR2	3AC10-1.15/16D1	PDNF150-1.15/16G
GW210PPB4	GW210PPB4	DS210TTR4	3AS10-1.1/8D1	PDNF150/9G
GW210PPB5	GW210PPB5	DS210TTR5R	3AC10-1.3/4D1	-
GW211PP17	GW211PP17	DC211TTR3E	-	-
GW211PP2	GW211PP2	DC211TTR2	7AS11-1.1/2D1	PDF155-2.3/16G
GW211PP3	GW211PP3	DC211TTR3	7AS11-1.1/2D1	PDF155/12G
GW211PPB10	GW211PPB10	-	-	-
GW211PPB13	GW211PPB13	DS211TTR13	-	-
GW211PPB2	GW211PPB2	DS211TTR2	3AC11-2.3/16D1	PDNF155-2.3/16G
GW211PPB3	GW211PPB3	DS211TTR3	3AS11-1.1/2D1	PDNF155/12G
GW211PPB9	GW211PPB9	DS211TTR9	-	-
GW214PP2	GW214PP2	DC214TTR2	-	-
GW214PPB2	GW214PPB2	-	3AC14D1	-
GW214PPB3	-	DS214TTR3	-	-
GW214PPB6	-	DC216TTR2	-	-
ST491A	491A	FD209RA	-	-
ST491B	DHU1-1/2R-209	FD209RB	-	-
W208PP10	W208PP10	DC208TT10	-	36/DF140-1.1/2
W208PP5	W208PP5	DC208TT5	5AS08-1.1/8	2/DF240/9
W208PP8	W208PP8	DC208TT8	6AS09-1.1/8D1	PDF240/9
W208PPB11	W208PPB11	DS208TT11	4AS08-7/8	-

Https://www.sws-bearings.com
Email: sales@sws-bearings

AGRICULTURAL BEARING INTERCHANGE

Number	FAFNIR	BCA	NTN	RHP
W208PPB12	W208PPB12	DS208TT12	4AS08-1.1/8	41/PDNF240/9B
W208PPB13	W208PPB13	DS208TT13	1AS08-7/8	2/DNF240/7
W208PPB14	W208PPB14	DS208TT14	-	-
W208PPB16	W208PPB16	HPS104TP	2AH08-1.1/4V2	-
W208PPB2	W208PPB2	-	2AC08-1.1/2	36/PDNF140-1.1/2
W208PPB23	W208PPB23	DS208TT2A	-	-
W208PPB4	W208PPB4	DS208TT4	-	PDNF140-1.3/16
W208PPB5	W208PPB5	DS208TT5	1AS08-1.1/8	2/DNF240/9
W208PPB6	W208PPB6	DS208TT6	1AS08-1	2/DNF240/8
W208PPB7	W208PPB7	DS208TT7	1AC08-1.3/16	2/DNF140-1.3/16
W208PPB8	W208PPB8	DS208TT8	2AS08-1.1/8	PDNF240/9
W208PPB9	W208PPB9	DS208TT9	2AS08-1	PDNF240/8
W209PPB2	W209PPB2	DS209TT2	3AC09	PDNF145-45
W209PPB4	W209PPB4	DS209TT4	3AC09-1/2	28/PDNF145-1.1/2
W209PPB5	W209PPB5	DS209TT5	2AS09-1.1/4	PDNF245/10
W209PPB7	W209PPB7	DS209TT7	-	-
W210PP2	W210PP2	DC210TT2	7AC10-1.15/16	PDF150-1.15/16
W210PP4	W210PP4	DC210TT4	7AS10-1.1/8	PDF150/9
W210PPB2	W210PPB2	DS210TT2	3AC10-1.15/16	PDNF150-1.15/16
W210PPB4	W210PPB4	DS210TT4	3AS10-1.3/4	PDNF150/9
W210PPB5	W210PPB5	DS210TT5	3AC10-1.3/4	5/PDNF150-1.3/4
W211PP2	W211PP2	DC211TT2	7AC11-2.3/16D1	PDF155-2.3/16
W211PP3	W211PP3	DC211TT3	7AS11-1.1/2	PDF155/12
W211PP5	W211PP5	DS211TT5	6AS11-1.1/2V1	-
W211PPB2	W211PPB2	DS211TT2	3AC11-2.3/16	PDNF155-2.3/16
W211PPB3	W211PPB3	DS211TT3	3AS11-1.1/2	PDNF155/12
W211PPB6	W211PPB6	DS211TT6	4AS11-1.1/2	-
W214PPB2	W214PPB2	-	-	-
W214PPB9	W214PPB9	-	-	-
Z9504AB	P204RR6	204BBAR	SC0451C3	-

Email: sales@sws-bearings.com
Https://www.sws-bearings.com