SWS Bearings LTD

----- Your Reliable Bearings Factory



Email: sales@sws-bearings.com
Https://www.sws-bearings.com



SWS Bearings LTD is one of the most reliable bearings factories and exporters in China. We mainly supply rollerand ball bearings.

SWS was founded in 2007, located in Changzhou city,jiangsu Province It just takes around 2 hours from Changzhou to Shanghai by car, and very convenient transportation.

In 2009, SWS has invested three factories in Shandong, and Dalian city. Our products sell worldwide.

Our products and service include:

●Miniature and middle-large size deep groove ball bearing
●Double-row self-aligning roller bearing
●Four-row heavy type cylindrical roller bearing
●Self-aligning roller bearing
●Axial thrust ball bearing, thrust ball and roller bearing
●Single and double taper roller bearing
●Needle roller bearing
●High precision spindle bearing
●Pillow block bearing, bush, steel balls
●Technical support
●Maintenance
●Products training

Bore size range:3mm~6.5m
Weight range:10.5g~2.6ton

SWS bearings are widely used in railway, mining, mechanical equipment, automobile, ship, metallurgy, petrifaction, electric power, agriculture, textile and aviation, etc.

SWS products have sell to Europe, Asia, America, south-east Asia, which are our most important market. We have spent much time on developing new products, and also produce top quality products. We are very popular in domestic and abroad.

Welcome your inquiry and Look forward our cooperation in the future.

Email: sales@sws-bearings.com
https://www.sws-bearings.com



Factory




Equipment



Workshop



Office



Product



Product

Email: sales@sws-bearings.com
Https://www.sws-bearings.com



Email: sales@sws-bearings.com
Https://www.sws-bearings.com













Email: sales@sws-bearings.com
Https://www.sws-bearings.com


Applications


























Email: sales@sws-bearings.com
Https://www.sws-bearings.com

SF-1 Oilless Bush





Unit:mm

Part No.	Mating Shaft	ϕ d	ϕ D	L -0.1 -0.3
SF-1-0303	3 -0.025 -0.034	3	5	3
SF-1-0304	〃	〃	〃	4
SF-1-0305	〃	〃	〃	5
SF-1-0306	〃	〃	〃	6
SF-1-0403	4 -0.025 -0.037	4	6	3
SF-1-0404	〃	〃	〃	4
SF-1-0405	〃	〃	〃	5
SF-1-0406	〃	〃	〃	6
SF-1-0408	〃	〃	〃	8
SF-1-0503	5 -0.025 -0.037	5	7	3
SF-1-0504	〃	〃	〃	4
SF-1-0505	〃	〃	〃	5
SF-1-0506	〃	〃	〃	6
SF-1-0508	〃	〃	〃	8
SF-1-0603	6 -0.025 -0.037	6	8	3
SF-1-0604	〃	〃	〃	4
SF-1-0605	〃	〃	〃	5
SF-1-0606	〃	〃	〃	6
SF-1-0607	〃	〃	〃	7
SF-1-0608	〃	〃	〃	8
SF-1-0610	〃	〃	〃	10
SF-1-0612	〃	〃	〃	12
SF-1-0705	7 -0.025 -0.040	7	9	5
SF-1-0706	〃	〃	〃	6
SF-1-0707	〃	〃	〃	7
SF-1-0708	〃	〃	〃	8
SF-1-0710	〃	〃	〃	10
SF-1-0712	〃	〃	〃	12
SF-1-0805	8 -0.025 -0.040	8	10	5

Part No.	Mating Shaft	ϕ d	ϕ D	L -0.1 -0.3
SF-1-0806	8 -0.025 -0.040	8	10	6
SF-1-0807	〃	〃	〃	7
SF-1-0808	〃	〃	〃	8
SF-1-0810	〃	〃	〃	10
SF-1-0812	〃	〃	〃	12
SF-1-0815	〃	〃	〃	15
SF-1-0906	9 -0.025 -0.040	9	11	6
SF-1-0910	〃	〃	〃	10
SF-1-1006	10 -0.025 -0.040	10	12	6
SF-1-1007	〃	〃	〃	7
SF-1-1008	〃	〃	〃	8
SF-1-1010	〃	〃	〃	10
SF-1-1012	〃	〃	〃	12
SF-1-1015	〃	〃	〃	15
SF-1-1020	〃	〃	〃	20
SF-1-1206	12 -0.025 -0.043	12	14	6
SF-1-1208	〃	〃	〃	8
SF-1-1210	〃	〃	〃	10
SF-1-1212	〃	〃	〃	12
SF-1-1215	〃	〃	〃	15
SF-1-1220	〃	〃	〃	20
SF-1-1308	13 -0.025 -0.043	13	15	8
SF-1-1310	〃	〃	〃	10
SF-1-1312	〃	〃	〃	12
SF-1-1315	〃	〃	〃	15
SF-1-1320	〃	〃	〃	20
SF-1-1408	14 -0.025 -0.043	14	16	8
SF-1-1410	〃	〃	〃	10
SF-1-1412	〃	〃	〃	12

Note: Aperture and wall-thickness accord with sample. If buyer has other demand on the size, we can do it.

Email: sales@sws-bearings.com
https://www.sws-bearings.com

SF-1Oilless Bush

Unit:mm

Part No.	Mating Shaft	ϕ d	ϕ D	L -0.1 -0.3
SF-1-1414	14 -0.025 -0.043	14	16	14
SF-1-1415	〃	〃	〃	15
SF-1-1416	〃	〃	〃	16
SF-1-1420	〃	〃	〃	20
SF-1-1508	15 -0.025 -0.043	15	17	08
SF-1-1510	〃	〃	〃	10
SF-1-1512	〃	〃	〃	12
SF-1-1515	〃	〃	〃	15
SF-1-1520	〃	〃	〃	20
SF-1-1525	〃	〃	〃	25
SF-1-1610	16 -0.025 -0.043	16	18	10
SF-1-1612	〃	〃	〃	12
SF-1-1615	〃	〃	〃	15
SF-1-1620	〃	〃	〃	20
SF-1-1625	〃	〃	〃	25
SF-1-1710	17 -0.025 -0.043	17	19	10
SF-1-1715	〃	〃	〃	15
SF-1-1810	18 -0.025 -0.043	18	20	10
SF-1-1812	〃	〃	〃	12
SF-1-1815	〃	〃	〃	15
SF-1-1820	〃	〃	〃	20
SF-1-1825	〃	〃	〃	25
SF-1-1830	〃	〃	〃	30
SF-1-1910	19 -0.025 -0.046	19	22	10
SF-1-1915	〃	〃	〃	15
SF-1-1920	〃	〃	〃	20
SF-1-2010	20 -0.025 -0.046	20	23	10
SF-1-2012	〃	〃	〃	12
SF-1-2015	〃	〃	〃	15
SF-1-2020	〃	〃	〃	20
SF-1-2025	〃	〃	〃	25
SF-1-2030	〃	〃	〃	30
SF-1-2210	22 -0.025 -0.046	22	25	10
SF-1-2212	〃	〃	〃	12
SF-1-2215	〃	〃	〃	15
SF-1-2220	〃	〃	〃	20
SF-1-2225	〃	〃	〃	25
SF-1-2230	〃	〃	〃	30
SF-1-2415	24 -0.025 -0.046	24	27	15
SF-1-2420	〃	〃	〃	20
SF-1-2425	〃	〃	〃	25
SF-1-2430	〃	〃	〃	30
SF-1-2510	25 -0.025 -0.046	25	28	10
SF-1-2512	〃	〃	〃	12
SF-1-2515	〃	〃	〃	15

Part No.	Mating Shaft	ϕ d	ϕ D	L -0.1 -0.3
SF-1-2520	25 -0.025 -0.046	25	28	20
SF-1-2525	〃	〃	〃	25
SF-1-2530	〃	〃	〃	30
SF-1-2535	〃	〃	〃	35
SF-1-2615	26 -0.025 -0.046	26	30	15
SF-1-2620	〃	〃	〃	20
SF-1-2625	〃	〃	〃	25
SF-1-2630	〃	〃	〃	30
SF-1-2812	28 -0.025 -0.046	28	32	12
SF-1-2815	〃	〃	〃	15
SF-1-2820	〃	〃	〃	20
SF-1-2825	〃	〃	〃	25
SF-1-2830	〃	〃	〃	30
SF-1-3012	30 -0.025 -0.046	30	34	12
SF-1-3015	〃	〃	〃	15
SF-1-3020	〃	〃	〃	20
SF-1-3025	〃	〃	〃	25
SF-1-3030	〃	〃	〃	30
SF-1-3035	〃	〃	〃	35
SF-1-3040	〃	〃	〃	40
SF-1-3050	〃	〃	〃	50
SF-1-3115	31 -0.025 -0.050	31	35	15
SF-1-3125	〃	〃	〃	25
SF-1-3130	〃	〃	〃	30
SF-1-3140	〃	〃	〃	40
SF-1-3215	32 -0.025 -0.050	32	36	15
SF-1-3220	〃	〃	〃	20
SF-1-3225	〃	〃	〃	25
SF-1-3230	〃	〃	〃	30
SF-1-3240	〃	〃	〃	40
SF-1-3512	35 -0.025 -0.050	35	39	12
SF-1-3520	〃	〃	〃	20
SF-1-3525	〃	〃	〃	25
SF-1-3530	〃	〃	〃	30
SF-1-3535	〃	〃	〃	35
SF-1-3540	〃	〃	〃	40
SF-1-3550	〃	〃	〃	50
SF-1-3820	38 -0.025 -0.050	38	42	20
SF-1-3825	〃	〃	〃	25
SF-1-3830	〃	〃	〃	30
SF-1-3835	〃	〃	〃	35
SF-1-3840	〃	〃	〃	40
SF-1-4012	40 -0.025 -0.050	40	44	12
SF-1-4015	〃	〃	〃	15
SF-1-4020	〃	〃	〃	20

Email: sales@sws-bearings.com
Https://www.sws-bearings.com

SF-1 Oilless Bush

Unit:mm

Part No.	Mating Shaft	ϕ d	ϕ D	L -0.1 -0.3
SF-1-4025	40 -0.025 -0.050	40	44	25
SF-1-4030	〃	〃	〃	30
SF-1-4035	〃	〃	〃	35
SF-1-4040	〃	〃	〃	40
SF-1-4050	〃	〃	〃	50
SF-1-4520	45 -0.025 -0.050	45	50	20
SF-1-4525	〃	〃	〃	25
SF-1-4530	〃	〃	〃	30
SF-1-4535	〃	〃	〃	35
SF-1-4540	〃	〃	〃	40
SF-1-4550	〃	〃	〃	50
SF-1-5020	50 -0.025 -0.050	50	55	20
SF-1-5025	〃	〃	〃	25
SF-1-5030	〃	〃	〃	30
SF-1-5035	〃	〃	〃	35
SF-1-5040	〃	〃	〃	40
SF-1-5050	〃	〃	〃	50
SF-1-5060	〃	〃	〃	60
SF-1-5525	55 -0.025 -0.055	55	60	25
SF-1-5530	〃	〃	〃	30
SF-1-5535	〃	〃	〃	35
SF-1-5540	〃	〃	〃	40
SF-1-5550	〃	〃	〃	50
SF-1-5560	〃	〃	〃	60
SF-1-6030	60 -0.025 -0.055	60	65	30
SF-1-6035	〃	〃	〃	35
SF-1-6040	〃	〃	〃	40
SF-1-6050	〃	〃	〃	50
SF-1-6060	〃	〃	〃	60
SF-1-6080	〃	〃	〃	80
SF-1-6530	65 +0.035 +0.005	65	70	30
SF-1-6540	〃	〃	〃	40
SF-1-6550	〃	〃	〃	50
SF-1-6560	〃	〃	〃	60
SF-1-7030	70 +0.035 +0.005	70	75	30
SF-1-7035	〃	〃	〃	35
SF-1-7040	〃	〃	〃	40
SF-1-7050	〃	〃	〃	50
SF-1-7060	〃	〃	〃	60
SF-1-7070	〃	〃	〃	70
SF-1-7080	〃	〃	〃	80
SF-1-7530	75 +0.035 +0.005	75	80	30

Part No.	Mating Shaft	ϕ d	ϕ D	L -0.1 -0.3
SF-1-7535	75 +0.035 +0.005	75	80	35
SF-1-7540	〃	〃	〃	40
SF-1-7550	〃	〃	〃	50
SF-1-7560	〃	〃	〃	60
SF-1-7580	〃	〃	〃	80
SF-1-8040	80 +0.035 +0.005	80	85	40
SF-1-8050	〃	〃	〃	50
SF-1-8060	〃	〃	〃	60
SF-1-8080	〃	〃	〃	80
SF-1-8540	85 +0.035 0	85	90	40
SF-1-8550	〃	〃	〃	50
SF-1-8560	〃	〃	〃	60
SF-1-8580	〃	〃	〃	80
SF-1-9040	90 +0.035 0	90	95	40
SF-1-9050	〃	〃	〃	50
SF-1-9060	〃	〃	〃	60
SF-1-9090	〃	〃	〃	90
SF-1-10050	100 +0.035 0	100	105	50
SF-1-10070	〃	〃	〃	70
SF-1-10080	〃	〃	〃	80
SF-1-10095	〃	〃	〃	95
SF-1-100100	〃	〃	〃	100
SF-1-11050	110 +0.035 0	110	115	50
SF-1-11070	〃	〃	〃	70
SF-1-11095	〃	〃	〃	95
SF-1-110110	〃	〃	〃	110
SF-1-12050	120 +0.035 0	120	125	50
SF-1-12070	〃	〃	〃	70
SF-1-12095	〃	〃	〃	95
SF-1-120100	〃	〃	〃	100
SF-1-13050	130 +0.035 -0.005	130	135	50
SF-1-13080	〃	〃	〃	80
SF-1-130100	〃	〃	〃	100
SF-1-14050	140 +0.035 -0.005	140	145	50
SF-1-14080	〃	〃	〃	80
SF-1-140100	〃	〃	〃	100
SF-1-15050	150 +0.035 -0.005	150	155	50
SF-1-15080	〃	〃	〃	80
SF-1-150100	〃	〃	〃	100
SF-1-16050	160 +0.035 -0.005	160	165	50
SF-1-16080	〃	〃	〃	80
SF-1-160100	〃	〃	〃	100

Email: sales@sws-bearings.com
Https://www.sws-bearings.com